L Number	Hits	Search Text	DB	Time stamp
-	2	20020165786.pn.	USPAT; US-PGPUB;	2004/05/12 10:39
-	2	20020165866.pn.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/31 13:10
_	2	20020165995.pn.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/31 13:17
-	169	((java adj metadata adj2 interface) JMI)	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/09 17:08
-	71	<pre>(((java adj metadata adj2 interface) JMI)) and ((implement\$3 generat\$3 creat\$3) near3 (package class object instance))</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 17:06
_	61	((((java adj metadata adj2 interface) JMI)) and ((implement\$3 generat\$3 creat\$3) near3 (package class object instance))) and package\$1 and class\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 17:06
_	61	<pre>((((java adj metadata adj2 interface) JMI)) and ((implement\$3 generat\$3 creat\$3) near3 (package class object instance))) and package\$1 and class\$3</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 17:06
_	2	<pre>(((((java adj metadata adj2 interface) JMI)) and ((implement\$3 generat\$3 creat\$3) near3 (package class object instance))) and package\$1 and class\$3)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 17:07
_	61	and bytecode (((((java adj metadata adj2 interface) JMI)) and ((implement\$3 generat\$3 creat\$3) near3 (package class object instance))) and package\$1 and class\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 17:07
	6	and request\$1 ((java adj metadata adj2 interface) (JMI same Java))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09
	98	(metadata near5 request\$3) and package\$1 and class\$1 and (object\$1 instance\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 17:19
-	66	((metadata near5 request\$3) and package\$1 and class\$1 and (object\$1 instance\$1)) and java	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 17:19
-	60	(((metadata near5 request\$3) and package\$1 and class\$1 and (object\$1 instance\$1)) and java) and ((generat\$3 implement\$3 creat\$3) near4 (package\$1 class\$2 (object\$1 instance\$1)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 18:07
-	1672	class\$2 (object\$1 instance\$1))) metadata.ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/09 18:07
				

Search History 5/12/04 11:03:11 AM

Page 1

_	141	metadata.ab. and 709/\$.ccls.	USPAT;	2004/01/09
			US-PGPUB;	18:07
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	metadata.ab. and 717/\$.ccls.	USPAT;	2004/01/09
			US-PGPUB;	18:08
			EPO; JPO;	
	:		DERWENT;	
			IBM_TDB	
-	2458	java and dynamic\$4 and interface\$1 and	USPAT;	2004/05/11
		proxy	US-PGPUB;	11:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	180	java and (dynamic\$4 same interface\$1 same	USPAT;	2004/05/11
		proxy)	US-PGPUB;	11:56
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6385661.pn.	USPAT;	2004/05/12
			US-PGPUB;	10:39
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	2	6385661.pn.	USPAT;	2004/05/12
			US-PGPUB; EPO; JPO;	10:39
			DERWENT;	
_	2	20020165786.pn.	IBM_TDB USPAT;	2004/05/12
	_	20020100700.pm.	US-PGPUB;	10:39
			EPO; JPO; DERWENT;	
			IBM TDB	
-	2	20020165866.pn.	USPAT; US-PGPUB;	2003/12/31 13:10
			EPO; JPO;	13.10
			DERWENT; IBM TDB	
_	2	20020165995.pn.	USPAT;	2003/12/31
			US-PGPUB;	13:17
			EPO; JPO; DERWENT;	
	1.50		IBM_TDB	0004/01/00
_	169	((java adj metadata adj2 interface) JMI)	USPAT; US-PGPUB;	2004/01/09 17:08
			EPO; JPO;	
			DERWENT; IBM TDB	
_	71	(((java adj metadata adj2 interface)	USPĀT;	2004/01/09
		JMI)) and ((implement\$3 generat\$3 creat\$3) near3 (package class object	US-PGPUB; EPO; JPO;	17:06
		instance))	DERWENT;	
_	61	 ((((java adj metadata adj2 interface)	IBM_TDB USPAT;	2004/01/09
	-	JMI)) and ((implement\$3 generat\$3	US-PGPUB;	17:06
		creat\$3) near3 (package class object instance))) and package\$1 and class\$1	EPO; JPO; DERWENT;	
		· · · · · · · · · · · · · · · · · · ·	IBM_TDB	
-	61	<pre>((((java adj metadata adj2 interface) JMI)) and ((implement\$3 generat\$3</pre>	USPAT; US-PGPUB;	2004/01/09
		creat\$3) near3 (package class object	EPO; JPO;	
		instance))) and package\$1 and class\$3	DERWENT; IBM TDB	
_	2	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/01/09
		JMI)) and ((implement\$3 generat\$3 creat\$3) near3 (package class object	US-PGPUB; EPO; JPO;	17:07
		instance))) and package\$1 and class\$3)	DERWENT;	
_	61	and bytecode (((((java adj metadata adj2 interface)	IBM_TDB USPAT;	2004/01/09
		JMI)) and ((implement\$3 generat\$3	US-PGPUB;	17:07
		creat\$3) near3 (package class object instance))) and package\$1 and class\$3)	EPO; JPO; DERWENT;	
		and request\$1	IBM_TDB	2004/01/00
-	6	((java adj metadata adj2 interface) (JMI same Java))	USPAT; US-PGPUB;	2004/01/09 17:10
			EPO; JPO;	
			DERWENT; IBM TDB	
	98	(metadata near5 request\$3) and package\$1	USPĀT;	2004/01/09
		and class\$1 and (object\$1 instance\$1)	US-PGPUB; EPO; JPO;	17:19
			DERWENT;	
_	66	((metadata near5 request\$3) and package\$1	IBM_TDB USPAT;	2004/01/09
		and class\$1 and (object\$1 instance\$1))	US-PGPUB;	17:19
Control		and java	EPO; JPO; DERWENT;	
		///matadata manuf magnesites)	IBM_TDB	2004/01/00
-	60	(((metadata near5 request\$3) and package\$1 and class\$1 and (object\$1	USPAT; US-PGPUB;	2004/01/09 18:07
		instance\$1)) and java) and ((generat\$3	EPO; JPO;	
		<pre>implement\$3 creat\$3) near4 (package\$1 class\$2 (object\$1 instance\$1)))</pre>	DERWENT; IBM TDB	

	1672	metadata.ab.	USPAT;	2004/01/09
	10,2	mo odda od od o	US-PGPUB;	18:07
			EPO; JPO;	1 20.07
			DERWENT;	
			IBM TDB	
_	141	metadata.ab. and 709/\$.ccls.	USPAT;	2004/01/09
		moddadaraar ana 7037 Froots.	US-PGPUB;	18:07
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	24	metadata.ab. and 717/\$.ccls.	USPAT;	2004/01/09
			US-PGPUB;	18:08
			EPO; JPO;	
			DERWENT;	
			IBM TDB	[
_	2458	java and dynamic\$4 and interface\$1 and	USPAT;	2004/05/11
		proxy	US-PGPUB;	11:55
		• •	EPO; JPO;	
			DERWENT;	·
			IBM TDB	
-	180	java and (dynamic\$4 same interface\$1 same	USPAT;	2004/05/11
		proxy)	US-PGPUB;	11:56
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
Number 1	2	6385661.pn.	USPAT;	2004/05/12
*	-	0300 001.pm	US-PGPUB;	10:39
			EPO; JPO;	
İ			DERWENT;	
			IBM_TDB	
-	2	20020165786.pn.	USPAT;	2004/05/12
			US-PGPUB;	10:39
			EPO; JPO;	
			DERWENT; IBM TDB	
l _	2	20020165866.pn.	USPAT;	2003/12/31
	2	20020103000.pm	US-PGPUB;	13:10
			EPO; JPO;	13011
			DERWENT;	
			IBM_TDB	
-	2	20020165995.pn.	USPAT;	2003/12/31
			US-PGPUB;	13:17
			EPO; JPO;	
			DERWENT;	
_	169	((java adj metadata adj2 interface) JMI)	IBM_TDB USPAT;	2004/01/09
	109	(\java aaj metadata aajz interrace) orii)	US-PGPUB;	17:08
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	71	(((java adj metadata adj2 interface)	USPAT;	2004/01/09
		JMI)) and ((implement\$3 generat\$3	US-PGPUB;	17:06
		creat\$3) near3 (package class object instance))	EPO; JPO; DERWENT;	
		Instance,	IBM TDB]
-	61	((((java adj metadata adj2 interface)	USPAT;	2004/01/09
		JMI)) and ((implement\$3 generat\$3	US-PGPUB;	17:06
		creat\$3) near3 (package class object	EPO; JPO;	
		instance))) and package\$1 and class\$1	DERWENT;	
			IBM_TDB	
-	, 61	((((java adj metadata adj2 interface)	USPAT;	2004/01/09
		JMI)) and ((implement\$3 generat\$3 creat\$3) near3 (package class object	US-PGPUB; EPO; JPO;	17:06
		instance))) and package\$1 and class\$3	DERWENT;	
		instance,,, and package, and crass,	IBM TDB	
-	2	(((((java adj metadata adj2 interface)	USPAT;	2004/01/09
		JMI)) and ((implement\$3 generat\$3	US-PGPUB;	17:07
	}	creat\$3) near3 (package class object	EPO; JPO;	
		instance))) and package\$1 and class\$3)	DERWENT;	
1_	61	and bytecode (((((java adj metadata adj2 interface)	IBM_TDB USPAT;	2004/01/09
	01	JMI)) and ((implement\$3 generat\$3	US-PGPUB;	17:07
		creat\$3) near3 (package class object	EPO; JPO;	
1		instance))) and package\$1 and class\$3)	DERWENT;	
		and request\$1	IBM_TDB	
-	6	(, j ,)	USPAT;	2004/01/09
		same Java))	US-PGPUB; EPO; JPO;	17:10
			DERWENT;	
			IBM TDB	
r	98	(metadata near5 request\$3) and package\$1	USPAT;	2004/01/09
7		and class\$1 and (object\$1 instance\$1)	US-PGPUB;	17:19
			EPO; JPO;	
			DERWENT;	
		(/motodata nears nemocités) and neglicines	IBM_TDB	2004/01/00
-	66	((metadata near5 request\$3) and package\$1 and class\$1 and (object\$1 instance\$1))	USPAT; US-PGPUB;	2004/01/09 17:19
		and classif and (objectif instance;))	EPO; JPO;	* ' · • •
			DERWENT;	
			IBM_TDB	
-	60	(((metadata near5 request\$3) and	USPAT;	2004/01/09
1		package\$1 and class\$1 and (object\$1	US-PGPUB;	18:07
		instance\$1)) and java) and ((generat\$3	EPO; JPO;	
		implement\$3 creat\$3) near4 (package\$1	DERWENT;	
L	L	class\$2 (object\$1 instance\$1)))	IBM_TDB	<u> </u>

Search History 5/12/04 10:43:13 AM Page 1

-	1672	metadata.ab.	USPAT;	2004/01/09
	10,2		US-PGPUB;	18:07
			EPO; JPO;	10.07
			DERWENT;	
			IBM TDB	
	141	metadata.ab. and 709/\$.ccls.	· —	2004/01/09
_	141	metadata.ab. and 709/3.ccis.	USPAT;	
			US-PGPUB;	18:07
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	metadata.ab. and 717/\$.ccls.	USPAT;	2004/01/09
0			US-PGPUB;	18:08
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2458	java and dynamic\$4 and interface\$1 and	USPAT;	2004/05/11
		proxy	US-PGPUB;	11:55
			EPO; JPO;]
			DERWENT;	Į į
			IBM TDB	
-	180	java and (dynamic\$4 same interface\$1 same	USPAT;	2004/05/11
		proxy)	US-PGPUB;	11:56
			EPO; JPO;	
			DERWENT;	
}			IBM TDB	